Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S27 and flex\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:45
		spindle same clean\$ same tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:13
L1	0	tailgate adj brush	USPAT	OR	OFF	2005/12/15 09:11
L2	2	hitch adj brush	USPAT	OR	OFF	2005/12/15 09:11
L3.	83	hitch same brush	USPAT	OR	OFF	2005/12/15 09:11
L4	· 22	"15"/\$.ccls. and (hitch or tailgate) same (brush or bristle)	USPAT	OR	ON	2005/12/15 09:12
L5	26	"15"/\$.ccls. and (hitch or tailgate) same (brush or bristle)	US-PGPUB; USPAT	OR	ON	2005/12/15 09:47
L6	0	(splatter same shield) and dremel	US-PGPUB; USPAT	OR	ON	2005/12/15 09:47
L7	27	(shield) and dremel	US-PGPUB; USPAT	OR .	ON	2005/12/15 09:47
L8	10	"4801166"	US-PGPUB; USPAT	OR	OFF	2005/12/15 10:48
L9	1	"6,752,453"	US-PGPUB; USPAT	OR	OFF	2005/12/15 10:48
S1	8	(("2619009") or ("3435479") or ("3603125") or ("4422200") or ("5895182") or ("6409641")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/12 14:11
S2	2673	(15/246,246.5,256.5,256.52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 09:06
S3	428	S2 and (shaft or spindle)	US-PGPUB; USPAT	OR	OFF	2005/12/12 15:38
S4	2167	(15/88,104.03,104.05,104.09,104. 095).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 16:22
S5	276	S4 and (shaft or spindle)	US-PGPUB; USPAT	OR	OFF	2005/12/14 16:26
S10	1547	((409/134,137) or (408/67)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 09:06
S11	486	S10 and (spindle or shaft)	US-PGPUB; USPAT	OR	OFF	2005/12/12 16:36

S12	. 257	S10 and (clean\$)	US-PGPUB; USPAT	OR	OFF	2005/12/12 16:37
S13	4	"3320598"	EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/12/13 15:44
S14	5	"4206587 <b>"</b>	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 15:44
S15	12	("1393663"   "1475079"   "1611874"   "1895532"   "2911665"   "3289239"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 15:45
S16	3	("4468834").URPN.	USPAŢ	OŘ	OFF	2005/12/13 15:46
S17	6	("0554986"   "4822218"   "5332343"   "5356245"   "5487629").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 15:47
S18	2	("5895182").URPN.	USPAT	OR	OFF	2005/12/13 15:47
S19	8	("3595109"   "3804426"   "3901108"   "4185376"   "4404728"   "4915553"   "4951578"   "6059702").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/13 15:49
S20	1	("6409641").URPN.	USPAT	OR	OFF	2005/12/13 15:53
S21	112	(15/246,246.5,256.5,256.52).CCLS.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:06
S22	290	(15/88,104.03,104.05,104.09,104. 095).CCLS.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:06
S23	166	((409/134,137) or (408/67)).CCLS.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:12
S24	1324	spindle same (clean or cleaning or cleaner) same tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:27
S25	280	S24 and (brush or bristles or wipe\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/12/14 10:18
S26	49	"492"/\$.ccls. and transducer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:44

S27	595	dremel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:45
S28	161	S27 and (flex or flexible or flex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:54
S29	100429	bosch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:54
S30	4102	S29 and (flex or flexible or flex-shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:55
S31	0	S29 and (flex-shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:55
S32	4102	S29 and (flex or flexible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:55
S33	1	S32 and dremel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:57
S34	169 · .	S32 and (variable same speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 16:00

S35	47	S32 and (rotary same tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 16:00
S36	2167	(15/88,104.03,104.05,104.09,104. 095).CCLS.	US-PGPUB; USPAT; USOCR	OR .	OFF	2005/12/14 16:22
S37	205	S36 and fluid	US-PGPUB; USPAT	OR	OFF	2005/12/14 16:22
S38	276	S36 and (shaft or spindle)	US-PGPUB; USPAT	OR	OFF	2005/12/14 16:27
S39	136	S38 and (fluid or liquid)	US-PGPUB; USPAT	OR	OFF	2005/12/14 16:27
S40	10	("3280416"   "3852923"   "3922746"   "4085474"   "5070823"   "5307745"   "5351631"   "5531189"   "5813089"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 16:34
S41	10	("3280416"   "3852923"   "3922746"   "4085474"   "5070823"   "5307745"   "5351631"   "5531189"   "5813089"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/14 16:37
S42	0	("6839930").URPN.	USPAT	OR	OFF	2005/12/15 09:10